PTO/SB/82 (01-06)
Approved for use through 12/31/2008. OM8 0951-0935
and Trademark Office, U.S. DEPARTMENT OF COMMERCE

Approved for use through 1/23/1/2008. OMB 0651-0235

U.S. Patent and Trademark Office, U.S. DePARTMENT OF COMMERCE Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of Information unless it displays a valid OMB control number.

## REVOCATION OF POWER OF ATTORNEY WITH NEW POWER OF ATTORNEY

AND
CHANGE OF CORRESPONDENCE ADDRESS

pond to a collection of information unless it displays a valid OMB control number	
Application Number	10/751,585
Filing Date	Jan. 5, 2004
First Named Inventor	Bernd SUNDERMANN
Art Unit	1621
Examiner Name	Brian J. Davis
Attorney Docket Number	107101-12

	Attorney Docket Number   107101-12	
I hereby revoke all previous powers of attorney given in the above-identified application.		
A Power of Attorney is submitted herewith.		
OR		
✓ I hereby appoint	the practitioners associated with the Customer Number: 27384	
Please change the correspondence address for the above-identified application to:    The address associated with Customer Number 27384		
Customer Nu	mber: 2/364	
OR	THE STATE OF THE S	
Firm or Individual Name		
Address		
City	State Zip	
Country		
Telephone	· Email	
I am the:  Applicant/Inventor.  Assignee of record of the entire interest. See 37 CFR 3.71. Statement under 37 CFR 3.73(b) is enclosed. (Form PTO/SB/96)		
SIGNATURE of Applicant or Assignee of Record		
Signature Mills Mi		
Name Prof. Dr	Paul Paques ppa. Dr. Kurt Hellfeldt	
Date	Telephone	
NOTE: Signatures of all the inventors or assignees of record of the entire interest or their representative(s) are required. Submit multiple forms if more than one signature is required, see below.		
*Total offorms are submitted.		

This collection of information is required by 37 CFR 136. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentisty is governed by 35 U.S.C. 122 and 37 CFR 111 and 114. This collection is estimated to take 3 minutes be complete, including place complete including place control place control place control place control place control place control place complete control place control place control place complete control place control pl